

EXHIBIT C TO MARANA RESOLUTION No. 2025-067

**Town of Marana Amendments to the 2024 International Plumbing Code**

**Chapter 1 Administration.** DELETE Chapter 1 with the exception of Section 111. (Deleted sections are administered by the 2024 IBC, Chapter 1)

**Section 305.4.1 Sewer depth.** REVISE by INSERTING 12 in both blanks that state “NUMBER”.

**Section 314.2.1 Condensate disposal.** REVISE section by ADDING the following at the end of the paragraph:

Condensate disposal shall be allowed to terminate as follows:

1. Into an approved fixture tailpiece, funnel drain, waste air gap fitting, floor sink, slop sink, and laundry tray.
2. At or below grade outside the building in an area capable of absorbing the condensate flow without surface drainage.
3. Over roof drains or gutters or downspouts that connect to drainage pipes, provided they terminate at or above grade in an area capable of absorbing the condensate flow without surface drainage.

**Section 410.4 Substitution.** REVISE section by ADDING a sentence to the end of the paragraph as follows: When a single drinking fountain is required, it may be substituted with a *water dispenser*.

**Section 903.1 Roof extension.** REVISE by INSERTING 6 in blank that states “NUMBER”.

**Section 1003.2 Approval.** REVISE section as follows with DELETIONS shown with strikeouts and ADDITIONS shown with double underlining:

The size, type and location of each interceptor and of each separator shall be designed and installed in accordance with the manufacturer’s instructions and the requirements and the construction and design standards of the appropriate jurisdiction(s) providing sewage disposal ~~of this section based on the anticipated conditions of use. Wastes that do not require treatment or separation shall not be discharged into any interceptor or separator.~~